

# Application No. Applicant(s) 10/820,526 VALDEZ, ANDREW Notice of Allowability Examiner **Art Unit** Sara Addisu 3722 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 10/4/06. 2. The allowed claim(s) is/are 7.8.12 and 13. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) Some\* c) None of the: 1. Certified copies of the priority documents have been received. 2. $\square$ Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). \* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) 🗌 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date 3. Information Disclosure Statements (PTO/SB/08). 7. X Examiner's Amendment/Comment Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit 8. Examiner's Statement of Reasons for Allowance of Biological Material 9. Other Daniel W. Howell Primary Examiner Art Unit 3722

Application/Control Number: 10/820,526

Art Unit: 3722

#### **DETAILED ACTION**

#### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Anderton on 4/27/07.

The application has been amended as follows:

- Claims 14, 15 and 17-24 are cancelled.

### Allowable Subject Matter

Claims 7, 8, 12 and 13 are allowed.


Regarding independent claim 7, the closest prior art to the instant invention is Brydon (USP 5,114,285). Brydon teaches a template (10) for preparing a door (20) for mounting a hardware having first and second spaced apart, aligned, substantially parallel faces (50, 60) with first and second sets of perforations (80), third perpendicular face (70) with a third set of perforations (80) forming a channel ('285, figure 4). Please note that in figure 4, Brydon teaches perforations (80A and 80B :see figure below) on the parallel faces, at least in part, not being aligned (i.e. the lower holes 80A do not line up with 80B). Furthermore, Brydon teaches the first, second, and third sets of

Application/Control Number: 10/820,526

Art Unit: 3722

perforations configured to correspond to the position of door fixture mounting holes ('285, col. 1, lines 47-51).

However, Brydon fails to anticipate or make obvious a first, second, and third group of one or more lines connecting and identifying the first, second, and third sets of perforations in the template.



Application/Control Number: 10/820,526

Art Unit: 3722

## Conclusion

Page 4

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sara Addisu at (571) 272-6082. The examiner can normally be reached on 8:30 am - 5 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Monica Carter can be reached on (571) 272-4475. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sara Addisu (571) 272-6082

> 5A 427107